


Sexually Transmitted Diseases Reported Cases in the State of Idaho October - December, 2001

District	Chlamydia	Gonorrhea	Syphilis	TOTAL
1	68	7	0	75
2	18	1	0	19
3	94	1	0	95
4	282	6	0	288
5	60	1	0	61
6	51	0	0	51
7	39	0	0	39
Total	612	16	0	628





Idaho District Health Departments

District 1	Coeur d'Alene	667-3481
District 2	Lewiston	799-3100
District 3	Caldwell	455-5300
District 4	Boise	375-5211
District 5	Twin Falls	734-5900
District 6	Pocatello	233-9080
District 7	Idaho Falls	522-0310

Idaho Cumulative HIV/AIDS December 31, 2001

District	AIDS Cases	AIDS Cases Reported Deceased	Living with AIDS	HIV Cases*	HIV Cases Reported Deceased	Living with HIV	HIV Infection Prevalence** (HIV and AIDS Cases)
1	78	47	31	58	9	49	80
2	22	9	13	36	7	29	42
3	63	25	38	72	10	62	100
4	235	122	113	237	42	195	308
5	47	24	23	52	7	45	68
6	56	35	21	49	10	39	60
7	37	20	17	33	6	27	44
TOTAL	538	282	256	537	91	446	702

Cumulative statistics from April 1986 when HIV became a reportable disease by Idaho Code #39-602.

* **HIV (+)** - Total number of HIV seropositive individuals excluding Idaho AIDS cases.

** **Prevalence** - Total number of reported HIV seropositive individuals (including AIDS) that have not been reported as deceased.

Cumulative Reported HIV and AIDS Cases				
Category	Idaho HIV+ 12/31/01		Idaho AIDS 12/31/01	
Sex				
Male	439	(82%)	474	(88%)
Female	98	(18%)	64	(12%)
<i>Total</i>	<u>537</u>	<u>(100%)</u>	<u>538</u>	<u>(100%)</u>
<i>Pediatric/Adult & Adolescent</i>				
Adults/adolescents (≥ 13 years)	530	(99%)	535	(99%)
Children (<13 years)	7	(1%)	3	(1%)
<i>Total</i>	<u>537</u>	<u>(100%)</u>	<u>538</u>	<u>(100%)</u>
<i>Race/Ethnicity</i>				
White	458	(85%)	471	(88%)
Black	21	(4%)	12	(2%)
Hispanic	47	(9%)	46	(9%)
American Indian/Alaskan	9	(0%)	6	(1%)
Other & unknown	2	(2%)	3	(1%)
<i>Total</i>	<u>537</u>	<u>(100%)</u>	<u>538</u>	<u>(100%)</u>
<i>Exposure Catetories - Adults/Adolescents</i>				
Men who have sex with men	242	(55%)	306	(57%)
Injecting drug use	58	(13%)	58	(11%)
Men sex men & inject drugs	41	(9%)	41	(8%)
Hemophilia/coagulation disorder	4	(1%)	18	(3%)
Heterosexual contact	22	(5%)	67	(13%)
Receipt of blood, components, or tissue	8	(2%)	12	(2%)
Other/risk not reported or identified	63	(14%)	33	(6%)
<i>Total</i>	<u>438</u>	<u>(100%)</u>	<u>535</u>	<u>(100%)</u>
<i>Exposure Categories - Pediatric</i>				
Hemophilia/coagulation disorder	0	(0%)	0	(0%)
Mother with/at risk for HIV infection	7	(100%)	1	(33%)
Receipt of b lood, components, or tissue	0	(0%)	2	(67%)
Other/risk not reported or identified	0	(0%)	0	(0%)
<i>Total</i>	<u>7</u>	<u>(100%)</u>	<u>3</u>	<u>(100%)</u>

Rate (cumulative) per 100,000 residents

47.0

41.3

Idaho AIDS Cases by Age			
Age	All Cases	Percent	
Under 5	2	0%	
5-12	1	0%	
13-19	3	1%	
20-29	80	15%	
30-39	246	46%	
40-49	142	26%	
Over 49	64	12%	
TOTAL	538	100%	

Idaho HIV Positive by age at time of testing (cumulative)			
Age	Cases	Percent	
Under 5	5	1%	
5-12	2	0%	
13-19	13	2%	
20-29	195	36%	
30-39	220	41%	
40-49	77	14%	
Over 49	24	4%	
Unknown	1	0%	
TOTAL	537	100%	

Reports of HIV positive and AIDS cases should be made to the STD/AIDS Program as required by Idaho Code 39-602. Please call the STD/AIDS Program, (208) 334-6527.

Data collection and publication is made possible through a federal grant from the Centers for Disease Control and Prevention, United States — Department of Health and Human Services. Idaho statistics are posted on the Internet four times per year. To be placed on an e-mail alert group to signal you when a new issue is posted, please e-mail Allen Haumann at haumanna@idhw.state.id.us.